Journal of Testing and Evaluation
Table of Contents, Volume 17
1989

No. 1, January

Dynamic Young's Modulus Measurements in Metallic Materials: Results of an Interlaboratory Testing Program—A. WOLFENDEN, M. R. HARMOUCHE, G. V. BLESSING, Y. T. CHEN, P. TERRANOVA, V. DAYAL, V. K. KINRA, J. W. LEMMENS, R. R. PHILLIPS, J. S. SMITH, P. MAHMOODI, AND R. J. WANN 2
with a Preface—EMMANUEL P. PAPADAKIS 1
Comparison of Chevron-Notched Specimen Types for Fracture Toughness Testing of Aluminum—J. MORRISON, J. P. GOUGH, AND K. J. KARISALLEN 14
Effects of Small Surface Cracks on Ductility Loss in Low Cycle Fatigue of 70/30 Brass—YUKITAKA MURAKAMI, CHOBIN MAKABE, AND HIRONOBU NISITANI 20
Fatigue Crack Propagation Threshold—G. MARCI, D. E. CASTRO, AND V. BACHMANN 28
Flexural and Shear Moduli of Full-Section Fiber Reinforced Plastic (FRP) Pultruded Beams—LAWRENCE C. BANK 40
A Model to Predict the Sources and Magnitude of Scatter in Toughness Data in the Transition Region—TED L. ANDERSON AND DAVID STIENSTRA 46
Linear-Elastic Fracture of High-Nitrogen Austenitic Stainless Steels at Liquid Helium Temperature—R. L. TOBLER, R. P. REED, AND P. T. PURTSCHER 54
Creep Rupture Behavior of Precorroded Carbon Steel—A. R. RAGAB, H. ALAWI, AND K. SOREIN 60
Experimental Determination of Hydrostatic Compression versus Volume Change Curves for Cellular Solids—M. A. FORTES, J. J. FERNANDES, I. SERRALHEIRO, AND M. E. ROSA 67

No. 2, March

Sensitivity of Fatigue Crack Growth Prediction (Using Wheeler Retardation) to Data Representation—J. M. FINNEY 75
Development of a Method to Measure Wear on Resilient Flooring-Part II—D. H. BRADWAY AND W. E. IRWIN 82
SYMPOSIUM ON HALOGENATED SOLVENTS TECHNOLOGY—A LOOK AT THE FUTURE
Introduction—GILBERT GAVLIN 86
CFC 113: A Unique Member of the Halogenated Solvent Family—K. P. MURPHY 87
Recent Scientific Developments That Affect the Assessment of Risk Posed by Trichloroethylene and Perchloroethylene—ROSS E. JONES and DANIEL M. BYRD III 90
Preventing and Coping with Water Pollution—DAVID E. ANDREWS AND DOUGLAS J. COSLER 95
Solving Air Pollution by Reducing Emission Losses from Solvent Vapor Cleaning Systems—DONALD R. GERARD 106
Risk Assessment for Halogenated Solvents—CURTIS C. TRAVIS 118
Federal Regulation of the Halogenated Solvents—PAUL A. CAMMER 122
Summary—K. S. SUPRENANT 130
Technical Note: Apparent Stiffness of a Butt Joint with a Thick Adhesive Layer and Elastic-Plastic Adhesives—HANS L. GROTH AND INGEMAR BROTTARE 131

No. 3, May

Designing Bearing Fatigue Life Tests for Improving the Use of Testing Resources—BOB MILLER AND DAVID HESTER 137
Fatigue of Submerged Concrete under Low-Cycle, High-Magnitude Loads—AVI MOR, WESTON T. HESTER, AND BEN C. GERWICK 157
Influence of Frequency on the Actual Testing Load of Hydraulic Mechanical Testing Machines—ZHIRUI WANG, ALEX RADIN, AND CAMPBELL LAIRD 167
Influence of Heat Treatment on Structure and Oxidation Behavior of Zr-2.5Nb—L. V. RAMANATHAN, I. COSTA, AND W. A. MONTEIRO 172
Cetane Number of Small Samples by Engine Throttling: Reliability Comparison with Standard Cooperative Fuels Research Method—R. R. M. JOHNSTON AND J. W. VAN DER TOUW 181
Use of Digital Waveform Analyzer, Accelerometers, and a Load Cell to Measure Momentum and Clamping Forces of Killing Traps for Furbearers—STEPHEN R. COOK AND GILBERT PROULX 186

Mechanical Evaluation and Performance Improvement of the Rotating Jaw Conibear 120 Trap—STEPHEN R. COOK AND GILBERT PROULX 190
Technical Note: A Note on Dynamic Displacement Measurements Using Hall Effect Sensors—J. H. GIOVANOLA, T. KOBAYASHI, R. W. KLOPP, T. GAINES, AND R. ARWOOD 196

No. 4, July

Determination of the Loading Rate Needed to Obtain Environmentally Assisted Cracking in Rising Load Tests—R. A. MAYVILLE, T. J. WARREN, AND P. D. HILTON 203
Low-Cycle Fatigue Analysis of Notched Members—DAQING ZHANG AND BELA I. SANDOR 212
Chevron-Notched Specimens for Fracture Toughness Measurements Independent of *R*-Curve Effects—L. M. BARKER 218
Effect of Strain Rate and Temperature on the Mechanical Anisotropy of Recrystallized Zircaloy TREX (Tube Reduced Extrusion)—SHERIEF A. HUSSIEN and K. LINGA MURTY 224
Proposed Standard Arc-Bend Chord-Support Fracture Toughness Specimens and *K* Expressions—JOHN H. UNDERWOOD 230
Evaluation of Performance of Three Slip Resistance Testers—B. T. KULAKOWSKI, F. L. BUCZEK, P. R. CAVANAGH, AND P. PRADHAN 234
A Comparison of Test Methods for Shear Properties of the Cores of Sandwich Constructions—DAVID J. O'CONNOR 241
Precompressed Concrete Corbels—P. R. CHAKRABARTI AND SHIHADEH I. KASHOU 247
Technical Note: Dynamic Reconciliation Algorithm Used on a High-Purity Propylene System—HERMAN BOZENHARDT 255

No. 5, September

Fatigue Performance of AISI 1140 Modified Steel—R. W. HERTZBERG, K. S. VECCHIO, AND F. E. SCHMIDT, JR. 261
Fractography of AISI 1140 Modified Steel under Static and Cyclic Loading Conditions—K. S. VECCHIO, R. W. HERTZBERG, AND F. E. SCHMIDT, JR. 267
Regression Analysis of Single Specimen Fracture Toughness Data with Serially Correlated Errors—ROBERT MOSKOVIC AND PETER L. WINDLE 273
Morphological Structures in Analysis and Inspection of Hole Quality in Fiber Composites—N. C. GRISWOLD, W. A. MASSARWEH, AND C. L. HOUGH 281
Applicability of the Southwell Plot to Shear Deformable Columns—CHAN GHEE KOH AND JAMES M. KELLY 287
The Concept of Filament Strength and the Weibull Modulus—SYBRAND VAN DER ZWAAG 292
Effect of Relative Humidity on Permeance of Coatings—VERN BATDORF 299
A Useful Hedonic "Smiley" Scale—DOV BASKER 307
Using the *Aspergillus* Bioassay to Detect and Measure Preservatives in Wood—J. J. MORRELL AND T. S. SCHEFFER 310
Comparison of Six Media of *Klebsiella* spp. Enumeration by Membrane Filtration—ROBERT M. DESJARDINS, PATRICIA L. SEYFRIED, ALIDA ALARCON, AND MICHAEL YOUNG 315

No. 6, November

A Technique to Evaluate the Bonding Reactivity of Thermosetting Adhesives—P. E. HUMPHREY AND D. ZAVALA 323
Temperature Dependence of Dynamic Young's and Shear Moduli for Four Different Heat Treated Conditions of Depleted U-2Mo—J. V. VARUGHESE, A. WOLFENDEN, AND G. M. LUDTKA 329
Nondestructive Testing: Interpretation of Deflection Bowl for Falling Weight Deflectometer Tests on Flexible Pavements—FRIEDRICH W. JUNG 333
Design of a Multi-Spring Floating Die Compaction System for Plastic Powders—R. J. CRAWFORD, D. J. CUMBERLAND, AND T. G. KEATING 344
Monitoring Environmental Tests by Coulometric Reduction of Metallic Control Samples—S. J. KRUMBEIN, B. NEWELL, AND V. PASCUCCI 357
An Encapsulation Technique for Conducting Mechanical Properties Tests of Metallic Specimens in a Controlled Environment without a Retort—B. A. KSCHINKA, D. L. MARRIOTT, J. F. STUBBINS, AND N. VASSOS 368
Inflammability Ranking of Metals and Alloys in an Oxygen Atmosphere—JUN'ICHI SATO 373
Rotation Corrections in Three-Point Single Edge Notch Bend Specimens—J. E. PEREZ IPINA AND E. L. SANTARELLI 381
A Method to Obtain Ideal Fatigue Crack Propagation for Steels—HIROYUKI MASUDA AND SABURO MATSUOKA 394
Technical Note: A Linear Short-Lever Extensometer—M. ATKINSON 401

Journal of Testing and Evaluation
Author Index to Volume 17
1989

Number	Month of Issue	Pages
1	January	1–74
2	March	75–136
3	May	137–202
4	July	203–260
5	September	261–322
6	November	323–414

A

Alarcon, A.: *see* Desjardins, R. M., Seyfried, P. L., Alarcon, A., and Young, M.

Alawi, H.: *see* Ragab, A. R., Alawi, H., and Sorein, K.

Anderson, T. L. and Stienstra, D.: A model to predict the sources and magnitude of scatter in toughness data in the transition region, Jan., 46

Andrews, D. E. and Cosler, D. J.: Preventing and coping with water pollution, March, 95

Arwood, R.: *see* Giovanola, J. H., Kobayashi, T., Klopp, R. W., Gaines, T., and Arwood, R.

Atkinson, M.: A linear short-lever extensometer, Nov., 401

B

Bachmann, V.: *see* Marci, G., Castro, D. E., and Bachmann, V.

Bank, L. C.: Flexural and shear moduli of full-section fiber reinforced plastic (FRP) pultruded beams, Jan., 40

Barker, L. M.: Chevron-notched specimens for fracture toughness measurements independent of R-curve effects, July, 218

Basker, D.: A useful hedonic "Smiley" scale, Sept., 307

Batdorf, V.: Effect of relative humidity on permeance of coatings, Sept., 299

Blessing, G. V.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Bozenhardt, H.: Dynamic reconciliation algorithm used on a high-purity propylene system, July, 255

Bradway, D. H. and Irwin, W. E.: Development of a method to measure wear on resilient flooring—part II, March, 82

Brottare, I.: *see* Groth, H. L. and Brottare, I.

Buczek, F. L.: *see* Kulakowski, B. T., Buzcek, F. L., Cavanaugh, P. R., and Pradhan, P.

Byrd, D. M., III: *see* Jones, R. E. and Byrd, D. M., III

C

Cammer, P. A.: Federal regulation of the halogenated solvents, March, 122

Castro, D. E.: *see* Marci, G., Castro, D. E., and Bachmann, V.

Cavanagh, P. R.: *see* Kulakowski, B. T., Buczek, F. L., Cavanagh, P. R., and Pradhan, P.

Chakrabarti, P. R. and Kashou, S. I.: Precompressed concrete corbels, July, 247

Chen, Y. T.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Cook, S. R. and Proulx, G.: Mechanical evaluation and performance improvement of the rotating jaw Conibear 120 trap, May, 190

Cook, S. R. and Proulx, G.: Use of a digital waveform analyzer, accelerometers, and a load cell to measure momentum and clamping forces of killing traps for furbearers, May, 186

Cosler, D. J.: *see* Andres, D. E. and Cosler, D. J.

Crawford, R. J., Cumberland, D. J., and Keating, T. G.: Design of a multi-spring floating die compaction system for plastic powders, Nov., 344

Cumberland, D. J.: *see* Crawford, R. J., Cumberland, D. J., and Keating, T. G.

D

Dayal, V.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Desjardins, R. M., Seyfried, P. L., Alarcon, A., and Young, M.: Comparison of six media for *Klebsiella* spp. enumeration by membrane filtration, Sept., 315

F

Fernandes, J. J.: *see* Fortes, M. A., Fernandes, J. J., Serralheiro, I., and Rosa, M. E.

Finney, J. M.: Sensitivity of fatigue crack growth prediction (using Wheeler retardation) to data representation, March, 75

Fortes, M. A., Fernandes, J. J., Serralheiro, I., and Rosa, M. E.: Experimental determination of hydrostatic compression versus volume changes curves for cellular solids, Jan., 67

G

Gaines, T.: *see* Giovanola, J. H., Kobayashi, T., Klopp, R. W., Gaines, T., and Arwood, R.

Gavlin, G.: Introduction to symposium on halogenated solvents technology—a look at the future, March, 86

Gerard, D. R.: Solving air pollution by reducing emission losses from solvent vapor cleaning systems, March, 106

Gerwick, B. C.: *see* Mor, A., Hester, W. T., and Gerwick, B. C.

Giovanola, J. G., Kobayashi, T., Klopp, R. W., Gaines, T., and Arwood, R.: A note on dynamic displacement measurements using Hall effect sensors, May, 196

Gough, J. P.: *see* Morrison, J., Gough, J. P., and KarisAllen, K. J.

Griswold, N. C., Massarweh, W. A., and Hough, C. L.: Morphological structures in analysis and inspection of hole quality in fiber composites, Sept., 281

Groth, H. L. and Brottare, I.: Apparent stiffness of a butt joint with a thick adhesive layer and elastic-plastic adhesives, March, 131

H

Harmouche, M. R.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Hertzberg, R. W., Vecchio, K. S., and Schmidt, F. E., Jr.: Fatigue performance of AISI 1140 modified steel, Sept. 261

Hertzberg, R. W.: *see* Vecchio, K. S., Hertzberg, R. W., and Schmidt, F. E., Jr.

Hester, D.: *see* Miller, B. and Hester, D.

Hester, W. T.: *see* Mor, A., Hester, W. T., and Gerwick, B. C.

Hilton, P. D.: *see* Mayville, R. A., Warren, T. J., and Hilton, P. D.

Hough, C. L.: *see* Griswold, N. C., Massarweh, W. A., and Hough, C. L.

Humphrey, P. E. and Zavala, D.: A technique to evaluate the bonding reactivity of thermosetting adhesives, Nov., 323

Hussien, S. A. and Murty, K. L.: Effect of strain rate and temperature on the mechanical anisotropy of recrystallized zircaloy TREX (tube reduced extrusion), July, 224

I

Irwin, W. E.: *see* Bradway, D. H. and Irwin, W. E.

J

Johnston, R. R. M. and van der Touw, J. W.: Cetane number of small samples by engine throttling: Reliability comparison with standard cooperative fuels research method, May, 181

Jones, R. S. and Byrd, D. M., III: Recent scientific developments that affect the assessment of risk posed by trichloroethylene and perchloroethylene, March, 90

Jung, F.: Nondestructive testing: interpretation of deflection bowl for falling weight deflectometer tests on flexible pavements, Nov., 333

K

KarisAllen, K. J.: *see* Morrison, J., Gough, J. P., and KarisAllen, K. H.

Kashou, S. I.: *see* Chakrabarti, P. R. and Kashou, S. I.

Keating, T. G.: *see* Crawford, R. J., Cumberland, D. J., and Keating, T. G.

Kelly, J. M.: *see* Koh, C. G. and Kelly, J. M.

Kinra, V. K.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Klopp, R. W.: *see* Giovanola, J. H., Kobayashi, T., Klopp, R. W., Gaines, T., and Arwood, R.

Kobayashi, T.: *see* Giovanola, J. H., Kobayashi, T., Klopp, R. W., Gaines, T., and Arwood, R.

Koh, C. G. and Kelly, J. M.: Applicability of Southwell plot to shear deformable columns, Sept., 287

Krumbein, S. J., Newell, B., and Pascucci, V.: Monitoring environmental tests by coulometric reduction of metallic control samples, Nov., 357

Kschinka, B. A., Marriott, D. L., Stubbins, J. F., and Vassos, N.: An encapsulation technique for conducting mechanical properties tests of metallic specimens in a controlled environment without a retort, Nov., 368

Kulakowski, B. T., Buczek, F. L., Cavanagh, P. R., and Pradhan, P.: Evaluation of performance of three slip resistance testers, July, 234

L

Laird, C.: *see* Wang, Z., Radin, A., and Laird, C.

Lemmens, J. W.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Ludtka, G. M.: *see* Varughese, J. V., Wolfenden, A. W., and Ludtka, G. M.

M

Mahmoodi, P.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Makabe, C.: *see* Murakami, Y., Makabe, C., and Nisitani, H.

Marci, G., Castro, D. E., and Bachmann, V.: Fatigue crack propagation threshold

Marriott, D. L.: *see* Kschinka, B. A., Marriott, D. L., Stubbins, J. F., and Vassos, N.

Massarweh, W. A.: *see* Griswold, N. C., Massarweh, W. A., and Hough, C. L.

Masuda, H. and Matsuoka, S.: A method to obtain ideal fatigue crack propagation for steels, Nov., 394

Matsuoka, S.: *see* Masuda, H. and Matsuoka, S.

Mayville, R. A., Warren, T. J., and Hilton, P. D.: Determination of the loading rate needed to obtain environmentally assisted cracking in rising load test, July, 203

Miller, B. and Hester, D.: Designing bearing fatigue life tests for improving the use of testing resources, May, 137

Monteiro, W. A.: *see* Ramanathan, L. V., Costa, I., and Monteiro, W. A.

Mor, A., Hester, W. T., and Gerwick, B. C.: Fatigue of submerged concrete under low-cycle, high-magnitude loads, May, 157

Morrell, J. J. and Scheffer, T. C.: Using the *Aspergillus* bioassay to detect and measure preservatives in wood, Sept., 310

Morrison, J., Gough, J. P., and KarisAllen, K. J.: Comparison of chevron-notched specimen types for fracture toughness testing of aluminum, Jan., 14

Moscovic, R. and Windle, P. L.: Regression analysis of single specimen fracture toughness data with serially correlated errors, Sept., 273

Murakami, Y., Makabe, C., and Nisitani, H.: Effects of small surface cracks on ductility loss in low cycle fatigue of 70/30 brass, Jan., 20

Murphy, K. P.: CFC 113: a unique member of the halogenated solvent family

Murty, K. L.: *see* Hussien, S. A. and Murty, K. L.

N

Newell, B.: *see* Krumbein, S. J., Newell, B., and Pascucci, V.

Nisitani, H.: *see* Murakami, Y., Makabe, C., Nisitani, H.

O

Ochoa, O.: Review of *Mechanical Behavior of Composites and Laminates,* Sept., 322

O'Connor, D. J.: A comparison of test methods for shear properties of the cores of sandwich constructions, July, 241

P

Pascucci, V.: *see* Krumbein, S. J., Newell, B., and Pascucci, V.

Papadakis, E. P.: Preface to "Dynamic Young's modulus measurements in metallic materials: results of an interlaboratory testing program," Jan., 1

Perez Ipina, J. E. and Santarelli, E. L.: Rotation corrections in three-point single edge notch bend specimens, Nov., 381

Phillips, R. R.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Pradhan, P.: *see* Kulakowski, B. T., Buczek, F. L., Cavanaugh, P. R., and Pradhan, P.

Proulx, G.: *see* Cook, S. R. and Proulx, G. on killing traps

Proulx, G.: *see* Cook, S. R. and Proulx, G. on Conibear 120 trap

Purtscher, P. T.: *see* Tobler, R. L., Reed, R. P., and Purtscher, P. T.

R

Radin, A.: *see* Wang, Z., Radin, A., and Laird, C.

Ragab, A. R., Alawi, H., and Sorein, K.: Creep rupture behavior of precorroded carbon steel, Jan., 60

Ramanathan, L. V., Costa, I., and W. A. Monteiro: Influence of heat treatment on structure and oxidation behavior of Zr-2.5Nb, May, 172

Reed, R. P.: *see* Tobler, R. L., Reed, R. P., and Purtscher, P. T.

Rosa, M. E.: *see* Fortes, M. A., Fernandes, J. J., Serralheiro, I., and Rosa, M. E.

S

Sandor, B. I.: *see* Zhang, D. and Sandor, B. I.

Santarelli, E. L.: *see* Perez Ipina, J. E. and Santarelli, E. L.

Sato, J.: Inflammability ranking of metals and alloys in an oxygen atmosphere, Nov., 373

Scheffer, T. C.: *see* Morrell, J. J. and Scheffer, T. C.

Schmidt, F. E., Jr.
see Hertzberg, R. W., Vecchio, K. S., and Schmidt, F. E., Jr.
see Vecchio, K. S., Hertzberg, R. W., and Schmidt, F. E., Jr.

Serralheiro, I.: *see* Fortes, M. A., Fernandes, J. J., Serralheiro, I., and Rosa, M. E.

Seyfried, P. L.: *see* Desjardins, R. M., Seyfried, P. L., Alarcon, A., and Young, M.

Smith, J. S.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Sorein, K.: *see* Ragab, A. R., Alawi, H., and Sorein, K.

Stienstra, D.: *see* Anderson, T. L. and Stienstra, D.

Stubbins, J. F.: *see* Kschinka, B. A., Marriott, D. L., Stubbins, J. F., and Vassos, N.

Suprenant, K. S.: Summary of symposium on halogenated solvents technology—a look at the future, March, 130

T

Terranova, P.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Travis, C. C.: Risk assessment for halogenated solvents, March, 118

Tobler, R. L., Reed, R. P., and Purtscher, P. T.: Linear-elastic fracture of high-nitrogen austenitic stainless steels at liquid helium temperature, Jan., 54

U

Underwood, J. H.: Proposed standard arc-bend chord-support fracture toughness specimens and *K* expressions, July, 230

V

van der Touw, J. W.: *see* Johnston, R. R. M. and van der Touw, J. W.

van der Zwaag, S.: The concept of filament strength and the Weibull modulus, Sept., 292

Varughese, J. V., Wolfenden, A., and Ludtka, G. M.: Temperature dependence of dynamic Young's and shear moduli for four different heat treated conditions of depleted U-2Mo, Nov., 329

Vassos, N.: *see* Kschinka, B. A., Marriott, D. L., Stubbins, J. F., and Vassos, N.

Vecchio, K. S., Hertzberg, R. W., and Schmidt, F. E., Jr.: Fractography of AISI 1140 modified steel under static and cyclic loading conditions, Sept., 267

Vecchio, K. S.: *see* Hertzberg, R. W., Vecchio, K. S., and Schmidt, F. E., Jr.

W

Wang, Z., Radin, A., and Laird, C.: Influence of frequency on the actual testing load of hydraulic mechanical testing machines, May, 167

Wann, R. J.: *see* Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Smith, J. S., Mahmoodi, P., and Wann, R. J.

Warren, T. J.: *see* Mayville, R. A., Warren, T. J., and Hilton, P. D.

Williams, L. R.: Review of *Quality Assurance of Chemical Measurements*, Jan., 72

Windle, P. L.: *see* Moskovic, R. and Windle, P. L.

Wolfenden, A., Harmouche, M. R., Blessing, G. V., Chen, Y. T., Terranova, P., Dayal, V., Kinra, V. K., Lemmens, J. W., Phillips, R. R., Smith, J. S., Mahmoodi, P., and Wann, R. J.: Dynamic Young's Modulus Measurements in Metallic Materials: Results of an Interlaboratory Testing Program, Jan., 2

Wolfenden, A.: *see* Varughese, J. V., Wolfenden, A. W., and Ludtka, G. M.

Y

Young, M.: *see* Desjardins, R. M., Seyfried, P. L., Alarcon, A., and Young, M.

Z

Zavala, D.: *see* Humphrey, P. E and Zavala, D.

Zhang, D. and Sandor, B. I.: Low-cycle fatigue analysis of notched member, July, 212

Journal of Testing and Evaluation
Subject Index to Volume 17
1989

A

Air pollution
Solving air pollution by reducing emission losses from solvent vapor cleaning systems (Gerard), March, 106

Anisotropy parameters
Effect of strain rate and temperature on the mechanical anisotropy of recrystallized Zircaloy TREX (tube Reduced Extrusion) (Hussien and Murty), July, 224

Austenitic stainless steels
Linear-elastic fracture of high-nitrogen austenitic stainless steels at liquid helium temperature (Tobler, Reed, and Purtscher), Jan., 54

B

Bend test
Rotation corrections in three-point single edge notch bend specimens (Perez Ipina and Santarelli), Nov., 381

Bioassay
Using the *Aspergillus* bioassay to detect and measure preservatives in wood (Morrell and Scheffer), Sept., 310

Bond
Fatigue of submerged concrete under low-cycle, high-magnitude loads (Mor, Hester, and Gerwick), May, 157

Bonding reactivity
A technique to evalute the bonding reactivity of thermosetting adhesives (Humphrey and Zavala), Nov., 323

Book reviews
Mechanical Behavior of Composites and Laminates (Ochoa), Sept., 322
Quality Assurance of Chemical Measurements (Williams), Jan., 72

Brackets and corbels
Precompressed concrete corbels (Chakrabarti and Kashou), July, 247

Butt joint
Apparent stiffness of a butt joint with a thick adhesive layer and elastic-plastic adhesives (Groth and Brottare), March, 131

C

Cathodic reduction
Monitoring environmental tests by coulometric reduction of metallic control samples (Krumbein, Newell, and Pascucci), Nov., 357

Cellular materials
Experimental determination of hydrostatic compression versus volume change curves for cellular solids (Fortes, Fernandes, Serralheiro, and Rosa), Jan., 67

Censoring
Designing bearing fatigue life tests for improving the use of testing resources (Miller and Hester), May, 137

Cetane modulus
Cetane number of small samples by engine throttling: reliability comparison with standard cooperative fuels research method (Johnston and van der Touw), May, 181

CFC 113
CFC 113: A unique member of the halogenated solvent family (Murphy, K. P.), March, 87

Chemical analysis
Using the *Aspergillus* bioassay to detect and measure preservatives in wood (Morrell and Scheffer), Sept., 310

Chevron-notched specimens
Chevron-notched specimens for fracture toughness measurements independent of *R*-curve effects (Barker), July, 218

Chlorinated cleaning solvents
Federal regulation of the halogenated solvents (Cammer), March, 122

Clamping force
Use of a digital waveform analyzer, accelerometers, and a load cell to measure momentum and clamping forces of killing traps for furbearers (Cook and Proulx), May, 186

Cleavage
A model to predict the sources and magnitude of scatter in toughness data in the transition region (Anderson and Stienstra), Jan., 46
Fractography of AISI 1140 modified steel under static and cyclic loading conditions (Vecchio, Hertzberg, and Schmidt), Sept., 267

Coatings
Effect of relative humidity on permeance of coatings (Batdorf), Sept., 299

Codes
A comparison of test methods for shear properties of the cores of sandwich constructions (O'Connor), July, 241

Cold compaction
Design of a multi-spring floating die compaction system for plastic powders (Crawford, Cumberland, and Keating), Nov., 344

Collocation
Proposed standard arc-bend chord-support fracture toughness specimens and *K* expressions (Underwood), July, 230

Compressive overload
A method to obtain ideal fatigue crack propagation for steels (Masuda and Matsuoka), Nov., 394

Computer vision
Morphological structures in analysis and inspection of hole quality in fiber composites (Griswold, Massarweh, and Hough), Sept., 281

Concrete
Fatigue of submerged concrete under low-cycle, high-magnitude loads (Mor, Hester, and Gerwick), May, 157

Conibear 120 trap
Mechanical evaluation and performance improvement of the rotating jaw Conibear 120 trap (Cook and Proulx), May, 190

Contamination
Preventing and coping with water pollution (Andrews and Cosler), March, 95

Corrosion creep
Creep rupture behavior of precorroded carbon steel (Ragab, Alawi, and Sorein), Jan., 60

Coulometric reduction
Monitoring environmental tests by coulometric reduction of metallic control samples (Krumbein, Newell, and Pascucci), Nov., 357

Crack initiation
Low-cycle fatigue analysis of notched members (Zhang and Sandor), July, 212

Crack propagation
Low-cycle fatigue analysis of notched members (Zhang and Sandor), July, 212

Creep
Creep rupture behavior of precorroded carbon steel (Ragab, Alawi, and Sorein), Jan., 60

Creep rupture
Creep rupture behavior of precorroded carbon steel (Ragab, Alawi, and Sorein), Jan., 60

Cryogenic properties of materials:
Linear-plastic fracture of high-nitrogen austenitic stainless steels at liquid helium temperature (Tobler, Reed, and Purtscher), Jan., 54

Cyclic-plastic zone
Fatigue crack propagation threshold (Marci, Castro, and Bachmann), Jan., 28

D

Data acquisition
Fatigue of submerged concrete under low-cycle, high-magnitude loads (Mor, Hester, and Gerwick), May, 157

Depleted uranium
Temperature dependence of dynamic Young's and shear moduli for four different heat treated conditions of depleted U-2Mo (Varughese, Wolfenden, and Ludtka), Nov., 329

Design
A linear short-lever extensometer (Atkinson), Nov., 401

Diesel fuel
Cetane number of small samples by engine throttling: reliability comparison with standard cooperative fuels research method (Johnston and van der Touw), May, 181

Distillation
Dynamic reconcilation algorithm used on

a high-purity propylene system (Bozenhardt), July, 255
Ductile-brittle transition
A model to predict the sources and magnitude of scatter in toughness data in the transition region (Anderson and Stienstra), Jan., 46
Ductility
Effects of small surface cracks on ductility loss in low cycle fatigue of 70/30 brass (Murakami, Makabe, and Nisitani), Jan., 20
Dynamic
Dynamic Young's modulus measurements in metallic materials: results of an interlaboratory testing program (Wolfenden, Harmouche, Belssing, Chen, Terranova, Dayal, Kinra, Lemmens, Phillips, Smith, Mahmoodi, and Wann), Jan., 2
Dynamic displacement
A note on dynamic displacement measurements using Hall effect sensors (Giovanola, Kobayashi, Klopp, Gaines, and Arwood), May, 196
Dynamic fracture
A note on dynamic displacement measurements using Hall effect sensors (Giovanola, Kobayashi, Klopp, Gaines, and Arwood), May, 196
Dynamic reconciliation
Dynamic reconciliation algorithm used on a high-purity propylene system (Bozenhardt), July, 255

E

Elastic modulus
Dynamic Young's modulus measurements in metallic materials: results of an interlaboratory testing program (Wolfenden, Harmouche, Blessing, Chen, Terranova, Dayal, Kinra, Lemmens, Phillips, Smith, Mahmoodi, and Wann), Jan., 2
Influence of frequency on the actual testing load of hydraulic mechanical testing machines (Wang, Radin, and Laird), May, 167
Elastic-plastic fracture
Rotation corrections in three-point single edge notch bend specimens (Perez Ipina and Santarelli), Nov., 381
Emission losses
Solving air pollution by reducing emission losses from solvent vapor cleaning systems (Gerard), March, 106
Encapsulation
An encapsulation technique for conducting mechanical properties tests of metallic specimens in a controlled environment without a retort (Kschinka, Marriott, Stubbins, and Vassos), Nov., 368
Engine throttling
Cetane number of small samples by engine throttling: reliability comparison with standard cooperative fuels research method (Johnston and van der Touw), May, 181
Environmental testing
Monitoring environmental tests by coulometric reduction of metallic control samples (Krumbein, Newell, and Pascucci), Nov., 357
Environmentally assisted cracking
Determination of the loading rate needed to obtain environmentally assisted cracking in rising load tests (Mayville, Warren, and Hilton), July, 203
Experimental technique
Applicability of the Southwell plot to shear deformable columns (Koh and Kelly), Sept., 287
Extensometer
A linear short-lever extensometer (Atkinson), Nov., 401

F

Fatigue
Fatigue performance of AISI 1140 modified steel (Hertzberg, Vecchio, and Schmidt), Sept., 261
Fractography of AISI 1140 modified steel under static and cyclic loading conditions (Vecchio, Hertzberg, and Schmidt), Sept., 267
Fatigue crack growth prediction
Sensitivity of fatigue growth prediction (using Wheeler retardation) to data representation (Finney), March, 75
Fatigue crack propagation
A method to obtain ideal fatigue crack propagation for steels (Masuda and Matsuoka), Nov., 394
Fatigue testing
An encapsulation technique for conducting mechanical properties tests of metallic specimens in a controlled environment without a retort (Kschinka, Marriott, Stubbins, and Vassos), Nov., 368
Fatigue test method
A method to obtain ideal fatigue crack propagation for steels (Masuda and Matsuoka), Nov., 394
Fatigue threshold
Fatigue crack propagation (Marci, Castro, and Bachmann), Jan., 28
Fiber composites
Morphological structures in analysis and inspection of hole quality in fiber composities (Griswold, Massarweh, and Hough), Sept., 281
Finite element analysis
Apparent stiffness of a butt joint with a thick adhesive layer and elastic-plastic adhesives (Groth and Brottare), March, 131
Flexible bellows tubing
An encapsulation technique for conducting mechanical properties tests of metallic specimens in a controlled environment without a retort (Kschinka, Marriott, Stubbins, and Vassos), Nov., 368
Flexible pavements
Nondestructive testing: interpretation of deflection bowl for falling weight deflectometer tests on flexible pavements (Jung), Nov., 333
Flexure modulus
Flexural and shear moduli of full-section fiber reinforced plastic (FRP) pultruded beams (Bank), Jan., 40
Flexure testing
Flexural and shear moduli of full-section fiber reinforced plastic (FRP) pulturded beams (Bank), Jan., 40
Floors
Development of a method to measure wear on resilient flooring—part II (Bradway and Irwin), March, 82
Fractography
Fractography of AISI 1140 modified steel under static and cyclic loading conditions (Vecchio, Hertzberg, and Schmidt), Sept., 627
Fracture
A model to predict the sources and magnitude of scatter in toughness data in the transition region (Anderson and Stienstra), Jan., 46
Fracture mechanics
Comparison of chevron-notched specimen types for fracture toughness testing of aluminum (Morrison, Gough, and KarisAllen), Jan., 14
Fracture mechanisms
Linear-elastic fracture of high-nitrogen austenitic stainless steels at liquid helium temperature (Tobler, Reed, and Purtscher), Jan., 54
Fracture toughness
Chevron-notched specimens for fracture toughness measurements independent of *R*-curve effects (Barker), July, 218
Comparison of chevron-notched specimen types for fracture toughness testing of aluminum (Morrison, Gough, and KarisAllen), Jan., 14
Proposed standard arc-bend chord-support fracture toughness specimens and *K* expressions (Underwood), July, 230
Regression analysis of single specimen fracture toughness data with serially correlated errors (Moskovic and Windle), Sept., 273
Frequency
Influence of frequency on the actual testing load of hydraulic mechanical testing machines (Wang, Radin, and Laird), May, 167
Full-section testing
Flexural and shear modulus of full-section fiber reinforced plastic pultruded beams (Bank), Jan., 40

H

Hall effect sensor
A note on dynamic displacement measurements using Hall effect sensors (Giovanola, Kobayashi, Klopp, Gaines, and Arwood), May, 196
Halogenated organic solvents
Preventing and coping with water pollution (Andrews and Cosler), March, 95
Halogenated solvents
Federal regulation of the halogenated solvents (Cammer), March, 122
Haringx's theory
Applicability of the Southwell plot to shear deformable columns (Koh and Kelly), Sept., 287

Heat treatment
Influence of heat treatment on structure and oxidation behavior of Zr-2.5Nb (Ramanathan, Costa, and Monteiro), May, 172
Hedonic scale
A useful hedonic "smiley" scale (Basker), Sept., 307
High-performance filaments
The concept of filament strength and the Weibull modulus (van der Zwaag), Sept., 292
Hydrostatic compression
Experimental determination of hydrostatic compression versus volume change curves for cellular solids (Fortes, Fernandes, Serralheiro, and Rosa), Jan., 67

I

Impression test
Effect of strain rate and temperature on the mechanical anisotropy of recrystallized Zircaloy TREX (tube reduced extrusion) (Hussien and Murty), July, 224
Inspection
Morphological structures in analysis and inspection of hole quality in fiber composites (Griswold, Massarweh, and Hough), Sept., 281

K

Killing traps
Mechanical evaluation and performance improvement of the rotating jaw Conibear 120 trap (cook and Proulx), May, 190
Use of a digital waveform analyzer, accelerometers, and a load cell to measure momentum and clamping forces of killing traps for furbearers (Cook and Proulx), May, 86
Klebsiella
Comparison of six media for *Klebsiella* spp. enumeration by membrane filtration (Desjardins, Seyfried, Alarcon, and Young), Sept., 315

L

Lap-shear strength
A technique to evaluate the bonding reactivity of thermosetting adhesives (Humphrey and Zavala), Nov., 323
Linearity
A linear short-lever extensometer (Atkinson), Nov., 401
Load
Influence of frequency on the actual testing load of hydraulic mechanical testing machines (Wang, Radin, and Laird), May, 167
Low cycle fatigue
Effects of small surface cracks on ductility loss in low cycle fatigue on 70/30 brass (Murakami, Makabe, and Nisitani), Jan., 20
Low-cycle fatigue analysis of notched members (Zhang and Sandor), July, 212

M

Mechanical anisotropy
Effect of strain rate and temperature on the mechanical anisotropy of recrystallized Zircaloy TREX (tube reduced extrusion) (Hussien and Murty), July, 224
Mechanical tests
Development of a method to measure wear on resilient flooring—part II (Bradway and Irwin), March, 82
Mechanistic design
Nondestructive testing: interpretation of deflection bowl for falling weight deflectometer tests on flexible pavements (Jung), Nov., 333
Median rating
A useful hedonic "smiley" scale (Basker), Sept., 307
Metal fire
Inflammability ranking of metals and alloys in an oxygen atmosphere (Sato), Nov., 373
Methylene chloride
Federal regulation of the halogenated solvents (Cammer), March, 122
mFCIC
Comparison of six media for *Klebsiella* spp. enumeration by membrane filtration (Desjardins, Seyfried, Alarcon, and Young), Sept., 315
mK2
Comparison of six media for *Klebsiella* spp. enumeration by membrane filtration (Desjardins, Seyfried, Alarcon, and Young), Sept., 315
MnS inclusions
Fatigue performance of AISI 1140 modified steel (Hertzberg, Vecchio, and Schmidt), Sept., 261
Model calibrations
Sensitivity of fatigue crack growth prediction (using Wheeler retardation) to data representation (Finney), March, 75
Momentum
Mechanical evaluation and performance improvement of the rotating jaw Conibear 120 trap (Cook and Proulx), May, 190
Use of a digital waveform analyzer, accelerometers, and a load cell to measure momentum and clamping forces of killing traps for furbearers (Cook and Proulx), May, 186
Monotonic-plastic zone
Fatigue crack propagation threshold (Marci, Castro, and Bachmann), Jan., 28

O

Oxygen
Inflammability ranking of metals and alloys in an oxygen atmosphere (Sato), Nov., 373
Oxygen compatibility
Inflammability ranking of metals and alloys in an oxygen atmosphere (Sato), Nov., 373
Ozone
CFC 113: A unique member of the halogenated solvent family (Murphy), March, 87

P

Pavement testing
Nondestructive testing: interpretation of deflection bowl for falling weight deflectometer tests on flexible pavements (Jung), Nov., 333
Perchloroethylene
Recent scientific developments that affect the assessment of risk posed by trichloroethylene and perchloroethylene (Jones and Byrd), March, 90
Permeance
Effect of relative humidity on permeance of coatings (Batdorf), Sept., 299
Peroxisomal proliferation
Recent scientific developments that affect the assessment of risk posed by trichloroethylene and perchloroethylene (Jones and Byrd), March, 90
Pharmacodynamics
Risk assessment for halogenated solvents (Travis), March, 118
Pharmacokinetics
Risk assessment for halogenated solvents (Travis), March, 118
Plastic powders
Design of a multi-spring floating die compaction system for plastic powders (Crawford, Cumberland, and Keating), Nov., 344
Powder compaction
Design of a multi-spring floating die compaction system for plastic powders (Crawford, Cumberland, and Keating), Nov., 344
Precompressed corbels
Precompressed concrete corbels (Chakrabarti and Kashou), July, 247
Preservative treatment
Using the *Aspergillus* bioassay to detect and measure preservatives in wood (Morrell and Scheffer), Sept., 310

R

***R*-curves**
Chevron-notched specimens for fracture toughness measurements independent of *R*-curve effects (Barker), July, 218
Rotation corrections in three-point single edge notch bend specimens (Perez Ipina and Santarelli), Nov., 381
Real-time compensation
Dynamic reconciliation algorithm used on a high-purity propylene system (Bozenhardt), July, 255
Recycling
CFC 113: A unique member of the halogenated solvent family (Murphy), March, 87
Reinforced concrete
Precompressed concrete corbels (Chakrabarti and Kashow), July, 247
Resilient floors
Development of a method to measure wear on resilient flooring—part II (Bradway and Irwin), March, 82
Resulfurized steel
Fatigue performance of AISI 1140 modified steel (Hertzberg, Vecchio, and Schmidt), Sept., 261

Rising load
Determination of the loading rate needed to obtain environmentally assisted cracking in rising load tests (Mayville, Warren, and Hilton), July, 203
Risk assessment
Risk assessment for halogenated solvents (Travis), March, 118
Rolling contact fatigue
Designing bearing fatigue life tests for improving the use of testing resources (Miller and Hester), May, 137

S

Serial correlation of errors
Regression analysis of single specimen fracture toughness data with serially correlated errors (Moskovic and Windle), Sept., 273
Shear modulus
Temperature dependence of dynamic Young's and shear moduli for four different heat treated conditions of depleted U-2Mo (Varughese, Wolfenden, and Ludtka), Nov., 329
Shear tests
A comparison of test methods for shear properties of the cores of sandwich constructions (O'Connor), July, 241
Single specimen testing
Regression analysis of single specimen fracture toughness data with serially correlated errors (Moskovic and Windle), Sept., 273
Slip
Evaluation of performance of three slip resistance testers (Kulakowski, Buczek, Cavanagh, and Pradhan), July, 234
Slip resistance tester
Evaluation of performance of three slip resistance testers (Kulakowski, Buczek, Cavanagh, and Pradhan), July, 234
Small cracks
Effects of small surface cracks on ductility loss in low cycle fatigue of 70/30 brass (Murakami, Makabe, and Nisitani), Jan., 20
"Smiley"
A useful hedonic "smiley" scale (Basker), Sept., 307
Solvent vapor cleaning systems
Solving air pollution by reducing emission losses from solvent vapor cleaning systems (Gerard), March, 106
Southwell plot
Applicability of the Southwell plot to shear deformable columns (Koh and Kelly), Sept., 287
Static coefficient of friction
Evaluation of performance of three slip resistance testers (Kulakowski, Buczek, Cavanaugh, and Pradhan), July, 234
Stiffness
Apparent stiffness of a butt joint with a thick adhesive layer and elastic-plastic adhesives (Groth and Brottare), March, 131
Strength
The concept of filament strength and the Weibull modulus (van der Zwaag), Sept., 292
Stress corrosion cracking
Determination of the loading rate needed to obtain environmentally assisted cracking in rising load tests (Mayville, Warren, and Hilton), July, 203
Subsurface
Preventing and coping with water pollution (Andrews and Cosler), March, 95

T

Tempering
Influence of heat treatment on structures and oxidation behavior of Zr-2.5Nb (Ramanathan, Costa, and Monteiro), May, 172
Test methods
Comparison of chevron-notched specimen types for fracture toughness testing of aluminum (Morrison, Gough, and KarisAllen), Jan., 14
A comparison of test methods for shear properties of the cores of sandwich constructions (O'Connor), July, 241
Proposed standard arc-bend chord-support fracture toughness specimens and K expressions (Underwood), July, 230
Thermosetting adhesives
A technique to evaluate the bonding reactivity of thermosetting adhesives (Humphrey and Zavala), Nov., 323
Trichloroethylene
Recent scientific developments that affect the assessment of risk posed by trichloroethylene and perchloroethylene (Jones and Byrd), March, 90

W

Water vapor diffusion
Effect of relative humidity on permeance of coatings (Batdorf), Sept., 299
Weibull analysis
Designing bearing fatigue life tests for improving the use of testing resources (Miller and Hester), May, 137
Weibull theory
The concept of filament strength and the Weibull modulus (van der Zwaag), Sept., 292
Wheeler retardation
Sensitivity of fatigue crack growth prediction (using Wheeler retardation) to data representation (Finney), March, 75

Y

Yielding criterion
Experimental determination of hydrostatic compression versus volume change curves for cellular solids (Fortes, Fernandes, Serralheiro, and Rosa), Jan., 67
Young's modulus
Dynamic Young's modulus measurements in metallic materials: results of an interlaboratory testing program (Wolfenden, Harmouche, Blessing, Chen, Terranova, Dayal, Kinra, Lemmens, Phillips, Smith, Mahmoodi, and Wann), Jan., 2
Temperature dependence of dynamic Young's and shear moduli for four different heat treated conditions of depleted U-2Mo (Varughese, Wolfenden, and Ludtka), Nov., 329

Z

Zr-2.5Nb
Influence of heat treatment on structure and oxidation behavior of Zr-2.5Nb (Ramanathan, Costa, and Monteiro), May, 172